Industrial Gasoline Generator



OPERATOR'S MANUAL MODEL TB9000 INDUSTRIAL GENERATOR

The Emission Control System for this generator is warranted for standards set by the Environment Protection Agency.


IMPORTANT!

It is extremely important to read and understand the entire contents of this Operator's Manual for the Model TB9000 before attempting to operate the generator. This is a gas engine powered, industrial strength generating unit of electrical power. The gas engine and the generator are both potentially extremely hazardous and could cause physical injury or even death if improperly used.

!!! WARNING !!!

DO NOT OPERATE EQUIPMENT UNTIL READING & UNDERSTANDING OPERATOR'S MANUAL! DISCONNECT ALL LOADS BEFORE STARTING OR STOPPING GENERATOR. ALLOW TO RUN FOR A FEW MINUTES WITH NO LOAD BEFORE STOPPING.





Manufacturer shall not be responsible for any consequences resulting from improper use of this equipment. The operator is required to read the entire contents of this manual before attempting to operate the unit. If the operator does not completely understand the instructions and all of the hazards of operating this unit after reading this manual, operator must call the factory to answer these questions to operator's complete satisfaction before proceeding.

READ AND COMPLETELY UNDERSTAND entire contents of this operator's manual and become familiar with the unit before attempting to start using this equipment! It is your responsibility to know its applications, limitations, and hazards! Call the factory with any questions.

FOR OUTDOOR USE ONLY! Never use this unit inside any enclosure including the generator compartment of a recreation vehicle (RV) or inside any building. No modifications will eliminate the danger of possible carbon monoxide poisoning, fire, or explosion.

THREE (3) FEET OF CLEARANCE on all sides is required even while using outdoors.

This unit is sold solely for the purpose of portable power. Other applications could void warranty. User accepts responsibility for injuries and/or damage resulting from other applications.

DESCRIPTION

MODEL TB9000 is a gas engine driven, revolving field, alternating current (AC) generator designed to supply electrical power for compatible electrical tools, motors, appliances, and lighting (see wattage reference guide on page 8).

The Model TB9000 operates at 120 volt and/or 240 volt, single phase, 60 Hz and will operate devices that require up to 7200 watts continuous and 8400 watts surge.

CAUTION! Do not tamper with engine governed speed. The GENERATOR supplies correct rated frequency and voltage when running at the proper governed speed. Incorrect frequency and/or voltage could damage connected electrical devices.

GROUNDING THE GENERATOR

It is required by The National Electrical Code to have the frame and all external conductive parts of the generator connected to an earth ground. Proper grounding also satisfies most local electrical codes.

Connect a No. 12 AWG standard copper wire to the Grounding Lug Block (See Figure 1). The grounding lug can be found on the control panel. Connect the other end of the wire to an earth driven copper or brass grounding rod (electrode).

CAUTION! Do not connect ground to a pre-existing ground rod, water pipe, or building frame.

Consult with a licensed electrician in your area because local codes vary. Properly grounding the generator helps prevent electrical shock if a ground fault condition exists in the generator or in connected electrical devices. This will also help to dissipate static electricity resulting from ungrounded devices.



SAFETY

This generator was designed for specific applications. DO NOT attempt to modify the unit in any way or use it for any application that it was not designed to do. Ask the dealer or contact the factory if you have any questions concerning the generator's application.

Warnings and cautions in this manual and on decals and tags on the unit are not all inclusive. It would be impossible to anticipate every circumstance that might involve a hazard. Handling, operating, or servicing this unit by any procedure not recommended by the manufacturer may render this equipment unsafe and may pose a threat to you or to others.

The generator produces a very powerful voltage that can cause extremely dangerous electrical shock. Avoid contact with bare wires, terminals, etc. Never permit an unqualified person to operate or service the generator.

Never handle any kind of electrical cord or device while standing in water, while barefoot or with wet hands or when feet are wet. Dangerous electrical shock could result.

The National Electric Code requires that the frame and external conductive parts be properly connected to an approved earth ground. Local electrical codes may vary. Check with an electrician for local grounding requirements.

Use a ground fault circuit interrupter in any damp or highly conductive area such as metal decking or steel work.

Do not use worn, bare, frayed or otherwise damaged electrical cords or wiring with the generator. A defective cord may result in electrical shock or may cause damage to equipment.

Do not expose unit to excessive moisture, dirt or corrosive vapors. Unit must be operated on a level surface.

Do not overfill the fuel tank. Always allow room for fuel expansion. Fuel could overflow and cause fire or explosion if tank is overfilled. Allow for a 20 minute cool down before refueling.

Caution: Customer takes full responsibility for use of this unit as a home generation system.

Only operate this unit outside with adequate ventilation. This generator's exhaust produces carbon monoxide gas that can cause unconsciousness or even death.

Never store a generator with fuel in the tank where fuel vapors could be ignited by a flame, spark, or pilot light from an appliance such as a furnace, water heater, or clothes dryer.

Always allow a minimum of 3 feet of clearance on all sides for ventilation while unit is operating. Allow 3 feet of clearance from all combustibles.

Generator must always be stopped or started with all loads unconnected. Start the engine and let it stabilize before connecting any loads. Disconnect all loads before shutting down the generator.

Never insert any object through the cooling slots of the engine. You could damage the unit or cause injury.

NEVER OPERATE THE GENERATOR:

In rain
In an enclosed compartment
If connected devices overheat
If electrical output is lost
If engine or generator sparks
If flame or smoke is observed
If unit vibrates excessively

CAUTION! The engine exhaust contains chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

CAUTION! If it is your first time starting the generator, allow it to run for 30 minutes before connecting electrical loads. This is for wet seating purposes

OPERATION OF THE GENERATOR

Starting the engine

- 1. Check oil and Gas for proper levels
- 2. Turn fuel valve to the ON position
- 3. Turn stop switch to the ON position
- 4. Pull choke lever to the ON position
- 5. Grip recoil starter and pull briskly
- Once started return choke lever to the OFF position.
- 7. Let engine settle before hooking up any electrical appliances.

Connecting electrical loads

- 1. Let engine stabilize and warm up for at least 3 minutes.
- Make sure devices to be connected are in good working order and in the "OFF" position before connecting to the generator.
- 3. Make sure to plug in desired devices into the correct receptacle.
- 4. DO NOT connect 240 Volt loads to the 120 Volt duplex receptacles.
- 5. DO NOT connect 3 phase loads to the generator.
- 6. DO NOT connect 50 Hz loads to the generator.
- 7. This is a 60Hz system.
- 8. DO NOT overload the generator. Add up the rated Watts of all loads to be connected. This total should not exceed the total watts of the generator.

Stopping the engine

- 1. Turn off all electrical devices connected to the generator.
- 2. WARNING: DO NOT start or stop generator with electrical devices plugged in.
- 3. Allow the generator engine to run at a 'No Load' condition for several minutes to stabilize internal engine temperature before stopping.
- 4. Turn the On\Off Switch on the Control Panel to the "off" position.
- 5. Turn Fuel Valve to the "Off" position.

Generator maintenance

(See maintenance table for list below).

- Keep the generator clean and dry. Use a damp cloth to clean exterior surfaces. Remove caked on dirt with a soft brush.
- Never spray with water. Water can contaminate the engine fuel system and cause serious problems in the generator.
- Damage may occur if engine or carburetor cleaning products are used.

Maintenance Schedule					
	DAILY	EVERY MONTH/ 30 HRS	EVERY 3 MONTHS/ 100 HRS	EVERY 6 MONTHS/ 500	
Check Oil Levels	Χ				
Check Air Filter		X			
Check For Oil Leaks		X			
Replace Air Filter				X	
Change Oil			X*		


^{*}First oil change should be after 5 hours. After initial break-in period change oil every (30) hours.

TROUBLESHOOTING

Problem	Cause	Solution
Engine is running but no power output is available.	 Circuit breaker is open. Poor connection or defective cord set. Connected device is bad. Fault in generator. 	 Reset the circuit breaker. Check & repair. Connect another device that is in good condition. Contact service center.
Engine runs good until loads are connected, then bogs down.	 Short circuit in a connected load. Overloaded generator. Engine speed is too slow. Short in generator circuit. 	 Disconnect shorted load. See 'Connecting Electrical Loads' section of manual. Contact service center. Contact service center.
Engine will not start or engine starts but runs rough.	 On/Off Switch is turned 'OFF'. Battery is dead Dirty air cleaner. Out of fuel. Stale fuel. Not enough speed or force is used for recoil start. Water in fuel. Speed control is not set to "RUN". Low oil level. Oil nozzle is dirty. Engine has lost compression. 	 Turn On/Off Switch to 'ON'. Charge or replace it. Clean air filter Fill fuel tank. Drain fuel tank and refill. Read and follow directions. Drain and refill tank. Move speed control to "RUN" position. Add oil to proper level. Clean oil nozzle. Contact service center.
Engine shuts down during operation.	Out of fuel. Fault in engine.	Fill fuel tank. Contact service center
Engine lacks power	 Load is too high. Dirty air filter. Engine needs to be serviced. 	See 'Connecting Electrical Loads' section of manual. Replace the air filter. Contact service center.


Engine oil is a major factor affecting engine performance and service life. Non detergent and 2-stroke engine oils will damage the engine and are not recommended.


Check the oil level BEFORE EACH USE with the generator on a level surface and the engine stopped. Use 4-stroke motor oil that meets or exceeds the requirements for API service classification SJ. Always check the oil container for the SJ classification.



SAE 10W-30 is recommended for general, all-temperature use. Other viscosities shown in the chart may be used when the average temperature in your area is within the indicated range.

- 1. Remove the oil filler cap and wipe the dipstick clean.
- 2. Check the oil level by inserting the dipstick into the filler neck without screwing it in.
- 3. If the level is low, fill to the top of the oil filler neck with the recommended oil.






Engine Oil Change

Drain the oil while the engine is warm to assure rapid and complete draining.

- 1. Remove the drain plug and sealing washer, remove the oil filler cap, and drain the oil.
- 2. Reinstall the drain plug and sealing washer. Tighten the plug securely.
- 3. Refill with the recommended oil and check the oil level to ensure it is full.

OIL CAPACITY: 32 oz.



Wash your hands with soap and water after handling used oil.

Please dispose of used motor oil in a manner that is compatible with the environment. We suggest you take it in a sealed container to your local service station or recycling center for reclaimation. Do not throw it in the trash, pour it on the ground, or down a drain.



Wattage Reference Guide				
Device	Running	Device	Watts	
*Air Conditioner (12,000 BTU)	1700	Impact Wrench	500	
Battery Charger (20 Amp)	500	*Jet Pump	800	
Belt Sander (3")	1000	Lawn Mower	1200	
Chain Saw	1200	Light Bulb	100	
Circular Saw (6-1/2")	800 to 1000	Microwave Oven	700	
Coffee Maker	1000	*Milk Cooler	1100	
Compressor (1 HP)	2000	Oil Burner on Furnace	300	
Compressor (3/4 HP)	1800	Oil Fired Space Heater (140,000 BTU)	400	
Compressor (1/2 HP)	1400	Oil Fired Space Heater (85,000 BTU)	225	
Curling Iron	700	Oil Fired Space Heater (30,000 BTU)	150	
*Freezer	500	*Airless Paint Sprayer (1/3 HP)	600	
Disc Sander (9")	1200	Handheld Airless Paint Sprayer	150	
Edge Trimmer	500	Radio	50 to 200	
Electric Nail Gun	1200	Refrigerator	600	
Electric Range (one element)	1500	Slow Cooker	200	
Electric Skillet	1250	*Submersible Pump (1-1/2 HP)	2800	
*Furnace Fan (1/3 HP)	1200	*Submersible Pump (1 HP)	2000	
Hair Dryer	1200	*Submersible Pump (1/2 HP)	1500	
Hand Drill (1")	1100	Sump Pump	600	
Hand Drill (1/2")	750 to 1000	*Table Saw (10")	1750 to 2000	
Hand Drill (3/8")	500	Television	200 to 500	
Hand Drill (1/4")	250	Weed Trimmer	500	
*Allow 3 times the listed Watts for starting these devices				
These wattages shown are approximate and may vary with each specific device				

Industrial Gasoline Generator

STORAGE

Before storing the unit for an extended period:

- 1 Be sure the storage area is free of excessive humidity and dust.
- 2. Service according to the table below

STORAGE TIME	RECOMMENDED SERVICE PROCEDURE TO PREVENT HARD STARTING
Less than one month	No preparation required
1 to 2 months	Fill with fresh gasoline, add gasoline conditioner
2 months to 1 year	Fill with fresh gasoline, add gasoline conditioner Drain carburetor bowl Drain fuel sediment cup
1 year or more	Remove Spark Plus put a tablespoon of engine oil into all cylinders. Turn the engine slowly with the pull rope to distribute the oil. Reinstall spark plugs, change the engine oil. After removal from storage, drain the stored gasoline into a suitable container, and fill with fresh gasoline before starting.

NOTES

LIMITED WARRANTY

This product is warranted to be free from defects in material and workmanship for a period of two years on the engine after date of purchase, and one year on all parts and components after date of purchase. Normal wear and tear on items which have exhausted their useful life is not covered.

Model TB9000



SPECIFICATIONS

Output 8400 watts Surge

2- L5-20 Receptacles (20amps.)

1- L5-30 Receptacle (30amps)

1- L14-30 Receptacle (30amps)

1- L14-30 AUX Plug (30amps)

Circuit Breaker Protection

74 Decibel's @ 10'

Electric\Manual Start

420cc Gasoline Engine

Steel Sleeve Cylinder

12.3 Gallon Fuel Tank

Approx. Run Time 24hrs

@50% Load

RPM-3720

Brushless Generator Head

Copper Windings

Low Oil Shut Down

Oil Capacity 32oz. (10w-30)

Size: L-32" W-28" H-26"

Net. Weight 360LBS.

12v DC Connector

One Year Equipment Warranty

Two Year Engine Warranty

Manufactured by:

American Fab Inc.

P.O. Box 1027 Travelers Rest, SC 29690 Customer Service: 1-800-845-4141

THIS UNIT IS NOT FOR USE IN THE STATE OF CALIFORNIA